

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135913**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229694	Room 229	0.4	1/15/2016	1/19/2016	50	40	Customer
381600507-0001			2:19:00 PM	6:46:00 AM			

**Sample Notes:**

229633	Room 229	0.5	1/15/2016	1/19/2016	50	40	Customer
381600507-0002			2:19:00 PM	6:46:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135913** **Average Radon Result: 0.4 pCi/L**

**Samples for EMSL Kit 135914**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229596	Room 227	1.1	1/15/2016	1/19/2016	50	40	Customer
381600507-0003			2:20:00 PM	6:47:00 AM			

**Sample Notes:**

229663	Room 227	1	1/15/2016	1/19/2016	50	40	Customer
381600507-0004			2:20:00 PM	6:47:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135914** **Average Radon Result: 1.0 pCi/L**

**Samples for EMSL Kit 135915**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229690	Room 223	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0005			2:21:00 PM	6:48:00 AM			

**Sample Notes:**

229698	Room 223	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0006			2:21:00 PM	6:48:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135915** **Average Radon Result: 0.2 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135991**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229765	Room 222	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0007			2:22:00 PM	6:48:00 AM			

**Sample Notes:**

229571	Room 222	0.4	1/15/2016	1/19/2016	50	40	Customer
381600507-0008			2:22:00 PM	6:48:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135991** Average Radon Result: **0.3 pCi/L**

**Samples for EMSL Kit 135922**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229163	Room 219	0.5	1/15/2016	1/19/2016	50	40	Customer
381600507-0009			2:23:00 PM	6:49:00 AM			

**Sample Notes:**

229192	Room 219	0.4	1/15/2016	1/19/2016	50	40	Customer
381600507-0010			2:23:00 PM	6:49:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135922** Average Radon Result: **0.4 pCi/L**

**Samples for EMSL Kit 135924**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229147	Room 187	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0011			2:24:00 PM	6:49:00 AM			

**Sample Notes:**

229133	Room 187	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0012			2:24:00 PM	6:49:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135924** Average Radon Result: **0.3 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135927**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229702	Room 180	0.5	1/15/2016	1/19/2016	50	40	Customer
381600507-0013			2:25:00 PM	6:50:00 AM			

**Sample Notes:**

229640	Room 180	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0014			2:25:00 PM	6:50:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135927** **Average Radon Result: 0.4 pCi/L**

**Samples for EMSL Kit 135925**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229119	Room 184	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0015			2:26:00 PM	6:50:00 AM			

**Sample Notes:**

229195	Room 184	0.1	1/15/2016	1/19/2016	50	40	Customer
381600507-0016			2:26:00 PM	6:50:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135925** **Average Radon Result: 0.2 pCi/L**

**Samples for EMSL Kit 135923**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229150	Room 179	0.4	1/15/2016	1/19/2016	50	40	Customer
381600507-0017			2:27:00 PM	6:51:00 AM			

**Sample Notes:**

229269	Room 179	0.5	1/15/2016	1/19/2016	50	40	Customer
381600507-0018			2:27:00 PM	6:51:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135923** **Average Radon Result: 0.4 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135932**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229240 381600507-0019	Room 182	0.3	1/15/2016 2:28:00 PM	1/19/2016 6:51:00 AM	50	40	Customer

**Sample Notes:**

229237 381600507-0020	Room 182	0.3	1/15/2016 2:28:00 PM	1/19/2016 6:51:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135932** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135917**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229773 381600507-0021	Room 178	0.3	1/15/2016 2:28:00 PM	1/19/2016 6:52:00 AM	50	40	Customer

**Sample Notes:**

229762 381600507-0022	Room 178	0.2	1/15/2016 2:28:00 PM	1/19/2016 6:52:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135917** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135916**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229777 381600507-0023	Room 177	0.2	1/15/2016 2:29:00 PM	1/19/2016 6:52:00 AM	50	40	Customer

**Sample Notes:**

229666 381600507-0024	Room 177	0.3	1/15/2016 2:29:00 PM	1/19/2016 6:52:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135916** **Average Radon Result: 0.3 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135957**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229002	Room 176	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0025			2:31:00 PM	6:52:00 AM			

**Sample Notes:**

229071	Room 176	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0026			2:31:00 PM	6:52:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135957** Average Radon Result: **0.2 pCi/L**

**Samples for EMSL Kit 135960**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229051	Room 175	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0027			2:31:00 PM	6:53:00 AM			

**Sample Notes:**

229052	Room 175	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0028			2:31:00 PM	6:53:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135960** Average Radon Result: **0.2 pCi/L**

**Samples for EMSL Kit 135959**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228996	Room 171	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0029			2:32:00 PM	6:53:00 AM			

**Sample Notes:**

228949	Room 171	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0030			2:32:00 PM	6:53:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135959** Average Radon Result: **0.2 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135954**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228940 381600507-0031	Room 169	0.5	1/15/2016 2:33:00 PM	1/19/2016 6:53:00 AM	50	40	Customer

**Sample Notes:**

229086 381600507-0032	Room 169	0.5	1/15/2016 2:33:00 PM	1/19/2016 6:53:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135954** **Average Radon Result: 0.5 pCi/L**

**Samples for EMSL Kit 135961**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228957 381600507-0033	Room 167	0.5	1/15/2016 2:34:00 PM	1/19/2016 6:54:00 AM	50	40	Customer

**Sample Notes:**

228991 381600507-0034	Room 167	0.5	1/15/2016 2:34:00 PM	1/19/2016 6:54:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135961** **Average Radon Result: 0.5 pCi/L**

**Samples for EMSL Kit 135956**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228977 381600507-0035	Room 165	0.7	1/15/2016 2:35:00 PM	1/19/2016 6:54:00 AM	50	40	Customer

**Sample Notes:**

228990 381600507-0036	Room 165	0.8	1/15/2016 2:35:00 PM	1/19/2016 6:54:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 135956** **Average Radon Result: 0.8 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135950**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228983	Room 163	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0037			2:36:00 PM	6:54:00 AM			

**Sample Notes:**

229004	Room 163	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0038			2:36:00 PM	6:54:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135950** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135948**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229169	Room 161	0.9	1/15/2016	1/19/2016	50	40	Customer
381600507-0039			2:37:00 PM	6:55:00 AM			

**Sample Notes:**

229235	Room 161	0.8	1/15/2016	1/19/2016	50	40	Customer
381600507-0040			2:37:00 PM	6:55:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135948** **Average Radon Result: 0.9 pCi/L**

**Samples for EMSL Kit 135949**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229001	Room 158	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0041			2:38:00 PM	6:55:00 AM			

**Sample Notes:**

229009	Room 158	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0042			2:38:00 PM	6:55:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135949** **Average Radon Result: 0.3 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135944**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229725	Room 159	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0043			2:39:00 PM	6:55:00 AM			

**Sample Notes:**

229697	Room 159	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0044			2:39:00 PM	6:55:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135944** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135945**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229172	Room 152	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0045			2:40:00 PM	6:56:00 AM			

**Sample Notes:**

229233	Room 152	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0046			2:40:00 PM	6:56:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135945** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135943**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229114	Room 150	0.1	1/15/2016	1/19/2016	50	40	Customer
381600507-0047			2:41:00 PM	6:56:00 AM			

**Sample Notes:**

229841	Room 150	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0048			2:41:00 PM	6:56:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135943** **Average Radon Result: 0.2 pCi/L**



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135951**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
228984	Room 137	0.6	1/15/2016	1/19/2016	50	40	Customer
381600507-0049			2:41:00 PM	6:56:00 AM			

**Sample Notes:**

228966	Room 137	0.4	1/15/2016	1/19/2016	50	40	Customer
381600507-0050			2:41:00 PM	6:56:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135951** **Average Radon Result: 0.5 pCi/L**

**Samples for EMSL Kit 135942**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229230	Room 136	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0051			2:42:00 PM	6:57:00 AM			

**Sample Notes:**

229100	Room 136	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0052			2:42:00 PM	6:57:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135942** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 135947**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229248	Room 147	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0053			2:43:00 PM	6:57:00 AM			

**Sample Notes:**

229164	Room 147	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0054			2:43:00 PM	6:57:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135947** **Average Radon Result: 0.3 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 135946**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229263	Room 145	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0055			2:44:00 PM	6:57:00 AM			

**Sample Notes:**

229238	Room 145	0.3	1/15/2016	1/19/2016	50	40	Customer
381600507-0056			2:44:00 PM	6:57:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135946** Average Radon Result: **0.3 pCi/L**

**Samples for EMSL Kit 135926**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229766	Room 217	0.6	1/15/2016	1/19/2016	50	40	Customer
381600507-0057			3:45:00 PM	7:03:00 AM			

**Sample Notes:**

229768	Room 217	0.6	1/15/2016	1/19/2016	50	40	Customer
381600507-0058			3:45:00 PM	7:03:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135926** Average Radon Result: **0.6 pCi/L**

**Samples for EMSL Kit 135990**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229587	Room 231 - Media Center	0.1	1/15/2016	1/19/2016	50	40	Customer
381600507-0059			3:47:00 PM	7:01:00 AM			

**Sample Notes:**

229588	Room 231 - Media Center	0.2	1/15/2016	1/19/2016	50	40	Customer
381600507-0060			3:47:00 PM	7:01:00 AM			

**Sample Notes:**

**Summary for EMSL Kit 135990** Average Radon Result: **0.2 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 136106**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229463 381600507-0061	Room 120 - Health Room	0.5	1/15/2016 3:48:00 PM	1/19/2016 7:01:00 AM	50	40	Customer

**Sample Notes:**

230167 381600507-0062	Room 120 - Health Room	0.6	1/15/2016 3:48:00 PM	1/19/2016 7:01:00 AM	50	40	Customer
--------------------------	---------------------------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136106** **Average Radon Result: 0.6 pCi/L**

**Samples for EMSL Kit 136007**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229538 381600507-0063	Room 119	0.4	1/15/2016 3:50:00 PM	1/19/2016 7:00:00 AM	50	40	Customer

**Sample Notes:**

229121 381600507-0064	Room 119	0.4	1/15/2016 3:50:00 PM	1/19/2016 7:00:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136007** **Average Radon Result: 0.4 pCi/L**

**Samples for EMSL Kit 136110**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229478 381600507-0065	Room 114	0.7	1/15/2016 3:52:00 PM	1/19/2016 7:00:00 AM	50	40	Customer

**Sample Notes:**

230417 381600507-0066	Room 114	0.5	1/15/2016 3:52:00 PM	1/19/2016 7:00:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136110** **Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 136103**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229030 381600507-0067	Room 139	0.5	1/15/2016 3:53:00 PM	1/19/2016 6:59:00 AM	50	40	Customer

**Sample Notes:**

229024 381600507-0068	Room 139	0.5	1/15/2016 3:53:00 PM	1/19/2016 6:59:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136103** **Average Radon Result: 0.5 pCi/L**

**Samples for EMSL Kit 136104**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229080 381600507-0069	Room 142	0.3	1/15/2016 3:54:00 PM	1/19/2016 6:59:00 AM	50	40	Customer

**Sample Notes:**

229073 381600507-0070	Room 142	0.3	1/15/2016 3:54:00 PM	1/19/2016 6:59:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136104** **Average Radon Result: 0.3 pCi/L**

**Samples for EMSL Kit 136098**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229038 381600507-0071	Room 145	0.2	1/15/2016 3:57:00 PM	1/19/2016 7:05:00 AM	50	40	Customer

**Sample Notes:**

229020 381600507-0072	Room 145	0.2	1/15/2016 3:57:00 PM	1/19/2016 7:05:00 AM	50	40	Customer
--------------------------	----------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136098** **Average Radon Result: 0.2 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077  
 Phone/Fax: (800) 220-3675 / (856) 786-0327  
<http://www.EMSL.com> [cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
 CustomerID: PGCS62  
 CustomerPO:  
 ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
 Fax: (301) 952-0346  
 Received: 01/20/16 12:35 PM  
 Analysis Date: 1/21/2016  
 Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results****Samples for EMSL Kit 136109**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
230423 381600507-0073	Main Office	0.4	1/15/2016 3:58:00 PM	1/19/2016 7:02:00 AM	50	40	Customer

**Sample Notes:**

229423 381600507-0074	Main Office	0.3	1/15/2016 3:58:00 PM	1/19/2016 7:02:00 AM	50	40	Customer
--------------------------	-------------	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136109** **Average Radon Result: 0.4 pCi/L**

**Samples for EMSL Kit 136102**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229014 381600507-0075	MRR	0.4	1/15/2016 4:11:00 PM	1/19/2016 6:45:00 AM	50	40	Customer

**Sample Notes:**

229026 381600507-0076	MPR	0.5	1/15/2016 4:11:00 PM	1/19/2016 6:45:00 AM	50	40	Customer
--------------------------	-----	-----	-------------------------	-------------------------	----	----	----------

**Sample Notes:**

**Summary for EMSL Kit 136102** **Average Radon Result: 0.4 pCi/L**

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L.  
 The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.  
 All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

**Report Note**



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>

[cinnaminsonradonlab@emsl.com](mailto:cinnaminsonradonlab@emsl.com)

EMSL Order: 381600507  
CustomerID: PGCS62  
CustomerPO:  
ProjectID:

Attn: **Karen Bowlding**  
**Prince George's County School**  
**13300 Old Marlboro Pike**  
**Upper Marlboro, MD 20772**

Phone: (301) 952-6559  
Fax: (301) 952-0346  
Received: 01/20/16 12:35 PM  
Analysis Date: 1/21/2016  
Collected: 1/15/2016

Project: **Avalon Elementary**

Test Site: **Avalon Elementary**  
**7302 Webster Ln**  
**Fort Washington, MD 20744**

**Test Report: Radon in Air Test Results**

Analyst(s)

Tiffanie Cosgrove (76)

Laura Freeman, Interim Laboratory Manager &  
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152  
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 01/25/2016 15:53:30

Please visit [www.radontestinglab.com](http://www.radontestinglab.com)