



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
 CustomerID: GLBW42
 CustomerPO:
 ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
 Fax:
 Received: 11/14/2023 11:46 AM
 Analysis Date: 11/15/2023
 Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308456

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550251	Reading Room	0	11/3/2023	11/6/2023	71	31	Customer
382306861-0001			11:12:00 AM	6:37:00 AM			

Sample Notes:

Samples for EMSL Kit 308450

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550192	01	0.4	11/3/2023	11/6/2023	71	31	Customer
382306861-0002			11:16:00 AM	6:40:00 AM			

Sample Notes:

Samples for EMSL Kit 308448

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550354	K6	0.4	11/3/2023	11/6/2023	71	31	Customer
382306861-0003			11:18:00 AM	6:42:00 AM			

Sample Notes:

548400	K6	0.4	11/3/2023	11/6/2023	71	31	Duplicate
382306861-0004			11:18:00 AM	6:42:00 AM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 308445

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550240	07	0.4	11/3/2023	11/6/2023	71	31	Customer
382306861-0005			11:22:00 AM	6:44:00 AM			

Sample Notes:

550369	07	-0.1	11/3/2023	11/6/2023	71	31	Blank
382306861-0006			11:22:00 AM	6:44:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/14/2023 11:46 AM
Analysis Date: 11/15/2023
Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308449

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550323	04	0	11/3/2023	11/6/2023	71	31	Customer
382306861-0007			11:24:00 AM	6:46:00 AM			

Sample Notes:

Samples for EMSL Kit 308458

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550254	ESOL - Kindergarten	0.1	11/3/2023	11/6/2023	71	31	Customer
382306861-0008			11:26:00 AM	6:48:00 AM			

Sample Notes:

Samples for EMSL Kit 308467

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550317	Ross Counselor Office	0.1	11/3/2023	11/6/2023	71	31	Customer
382306861-0009			11:30:00 AM	7:17:00 AM			

Sample Notes:

Samples for EMSL Kit 308451

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550335	Main Office	0.7	11/3/2023	11/6/2023	71	31	Customer
382306861-0010			11:32:00 AM	7:15:00 AM			

Sample Notes:

Samples for EMSL Kit 308444

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550345	Media Office	0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0011			11:35:00 AM	7:14:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/14/2023 11:46 AM
Analysis Date: 11/15/2023
Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308473

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550346	Health	0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0012			11:37:00 AM	7:13:00 AM			

Sample Notes:

Samples for EMSL Kit 308457

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550241	ESOL - New Comers	0.4	11/3/2023	11/6/2023	71	31	Customer
382306861-0013			11:40:00 AM	7:12:00 AM			

Sample Notes:

Samples for EMSL Kit 308464

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550204	Sped - Colambro	0	11/3/2023	11/6/2023	71	31	Customer
382306861-0014			11:42:00 AM	7:11:00 AM			

Sample Notes:

Samples for EMSL Kit 308424

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550270	Custodian Office	0.1	11/3/2023	11/6/2023	71	31	Customer
382306861-0015			11:45:00 AM	7:18:00 AM			

Sample Notes:

Samples for EMSL Kit 308418

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550262	Psychologist Door	0.8	11/3/2023	11/6/2023	71	31	Customer
382306861-0016			11:47:00 AM	7:16:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/14/2023 11:46 AM
Analysis Date: 11/15/2023
Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308425

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550331	30	0.1	11/3/2023	11/6/2023	71	31	Customer
382306861-0017			11:49:00 AM	7:14:00 AM			

Sample Notes:

Samples for EMSL Kit 308416

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550339	26	0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0018			11:51:00 AM	7:19:00 AM			

Sample Notes:

Samples for EMSL Kit 308438

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550256	24	-0.6	11/3/2023	11/6/2023	71	31	Customer
382306861-0019			11:52:00 AM	7:02:00 AM			

Sample Notes:

Samples for EMSL Kit 308468

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550336	23	0	11/3/2023	11/6/2023	71	31	Customer
382306861-0020			11:53:00 AM	7:10:00 AM			

Sample Notes:

Samples for EMSL Kit 308435

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550260	21	0.6	11/3/2023	11/6/2023	71	31	Customer
382306861-0021			11:55:00 AM	7:00:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/14/2023 11:46 AM
Analysis Date: 11/15/2023
Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308432

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550307	22	1.4	11/3/2023	11/6/2023	71	31	Customer
382306861-0022			11:58:00 AM	6:58:00 AM			

Sample Notes:

Samples for EMSL Kit 308412

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550232	20	0.6	11/3/2023	11/6/2023	71	31	Customer
382306861-0023			12:00:00 PM	6:59:00 AM			

Sample Notes:

Samples for EMSL Kit 308442

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550212	17	0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0024			12:01:00 PM	6:59:00 AM			

Sample Notes:

Samples for EMSL Kit 308461

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550249	08	0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0025			12:04:00 PM	7:25:00 AM			

Sample Notes:

Samples for EMSL Kit 308470

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550324	12	-0.3	11/3/2023	11/6/2023	71	31	Customer
382306861-0026			12:06:00 PM	6:52:00 AM			

Sample Notes:



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 382306861
CustomerID: GLBW42
CustomerPO:
ProjectID:

Attn: **Channa Bambaradeniya**
Global Inc.
1818 New York Avenue NE
Suite 222
Washington, DC 20002

Phone: (202) 832-1433
Fax:
Received: 11/14/2023 11:46 AM
Analysis Date: 11/15/2023
Collected: 11/3/2023

Project: **Bladensburg ES / 4915 Annapolis Road**

Test Site: **Bladensburg ES**
4915 Annapolis Road
Bladensburg, MD 20710

Test Report: Radon in Air Test Results

Samples for EMSL Kit 308405

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
550271	16	0	11/3/2023	11/6/2023	71	31	Customer
382306861-0027			12:08:00 PM	7:29:00 AM			

Sample Notes:

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.
All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Jeanel Zoll (27)

Dominic Gehret, Radiochemistry Laboratory Manager, NJ Radon
Measurement Specialist MES 13910
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ FL RB2034/R2687,IL RNL2008202,IN RTL00935,IA RNLAB10005,KS KS-LB-0005/KS-MS-0482,ME SPC202,MN RL-0005,NE 474/RMB-1083,NJ 03036/MEB92525/MES13910,NY 10872,OH RL39,OK D9952,PA 2573/3393/68-00367,RI RMB-108/RI00179,WV RL000220,NRSB-ARL6006,NRPP

Initial report from 11/16/2023 17:48:36

Please visit www.radontestinglab.com