

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144889**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244826	Guid. Office	2	11/11/2016	11/14/2016	70	50	Customer
381612383-0001			1:30:00 PM	6:00:00 AM			

Sample Notes:

Samples for EMSL Kit 145034

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244341	Teacher's Lounge	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0002			1:33:00 PM	6:09:00 AM			

Sample Notes:

Samples for EMSL Kit 145002

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244407	Room 8	1.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0003			1:35:00 PM	6:11:00 AM			

Sample Notes:

244592	Room 8	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0004			1:35:00 PM	6:11:00 AM			

Sample Notes:

Duplicate RPD = 177.8%

Samples for EMSL Kit 144862

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244275	Main Office	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0005			1:37:00 PM	6:13:00 AM			

Sample Notes:

243630	Main Office	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0006			1:37:00 PM	6:13:00 AM			

Sample Notes:

Duplicate RPD = 142.9%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 145016**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244493	Room 50	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0007			1:39:00 PM	6:15:00 AM			

Sample Notes:

Samples for EMSL Kit 144970

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244373	Room 50	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0008			1:41:00 PM	6:18:00 AM			

Sample Notes:

Samples for EMSL Kit 144972

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244463	Room 54	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0009			1:43:00 PM	6:19:00 AM			

Sample Notes:

244617	Room 54	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0010			1:43:00 PM	6:19:00 AM			

Sample Notes:

Duplicate RPD = 150%

Samples for EMSL Kit 144986

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244423	Room 55	1.2	11/11/2016	11/14/2016	70	50	Customer
381612383-0011			1:45:00 PM	6:21:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 145025**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244396	Media Center	0.3	11/11/2016	11/14/2016	70	50	Customer
381612383-0012			1:47:00 PM	6:22:00 AM			

Sample Notes:

244479	Media Center	0.1	11/11/2016	11/14/2016	70	50	Blank
381612383-0013			1:47:00 PM	6:22:00 AM			

Sample Notes:**Samples for EMSL Kit 144890**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244629	Room 10	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0014			1:49:00 PM	6:24:00 AM			

Sample Notes:**Samples for EMSL Kit 145055**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244389	Room 11	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0015			1:50:00 PM	6:25:00 AM			

Sample Notes:

244546	Room 11	0.1	11/11/2016	11/14/2016	70	50	Blank
381612383-0016			1:50:00 PM	6:25:00 AM			

Sample Notes:**Samples for EMSL Kit 144863**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244707	Room 15	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0017			1:51:00 PM	6:27:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381612383

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 145014**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244451	Room 142	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0018			1:57:00 PM	6:28:00 AM			

Sample Notes:**Samples for EMSL Kit 145013**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244385	Room 145	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0019			1:58:00 PM	6:30:00 AM			

Sample Notes:**Samples for EMSL Kit 145026**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244401	Room 146	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0020			1:59:00 PM	6:32:00 AM			

Sample Notes:**Samples for EMSL Kit 145044**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244329	Room 134	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0021			2:02:00 PM	6:34:00 AM			

Sample Notes:**Samples for EMSL Kit 144891**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244650	Room 131	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0022			2:04:00 PM	6:36:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144864**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244783	Room 130	0.3	11/11/2016	11/14/2016	70	50	Customer
381612383-0023			2:05:00 PM	6:37:00 AM			

Sample Notes:

Samples for EMSL Kit 144873

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244699	Room 28	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0024			2:07:00 PM	6:38:00 AM			

Sample Notes:

Samples for EMSL Kit 144885

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244237	Room 25	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0025			2:09:00 PM	6:40:00 AM			

Sample Notes:

243692	Room 25	0	11/11/2016	11/14/2016	70	50	Blank
381612383-0026			2:09:00 PM	6:40:00 AM			

Sample Notes:

Samples for EMSL Kit 144887

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244728	Room 24	0.9	11/11/2016	11/14/2016	70	50	Customer
381612383-0027			2:10:00 PM	6:42:00 AM			

Sample Notes:

Samples for EMSL Kit 144884

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244672	Room 22	0.3	11/11/2016	11/14/2016	70	50	Customer
381612383-0028			2:11:00 PM	6:44:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144886**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244686	TDC 3	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0029			2:12:00 PM	7:30:00 AM			

Sample Notes:

Samples for EMSL Kit 144893

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244653	Room 127	0.9	11/11/2016	11/14/2016	70	50	Customer
381612383-0030			2:14:00 PM	6:47:00 AM			

Sample Notes:

Samples for EMSL Kit 144875

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244208	Room 123	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0031			2:16:00 PM	6:48:00 AM			

Sample Notes:

243687	Room 123	0	11/11/2016	11/14/2016	70	50	Blank
381612383-0032			2:16:00 PM	6:48:00 AM			

Sample Notes:

Samples for EMSL Kit 144888

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244224	Room 64	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0033			2:18:00 PM	6:50:00 AM			

Sample Notes:

243543	Room 64	0	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0034			2:18:00 PM	6:50:00 AM			

Sample Notes:

Duplicate RPD = 200%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144969**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244589	Room 67	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0035			2:19:00 PM	6:51:00 AM			

Sample Notes:

Samples for EMSL Kit 144973

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244541	Room 62	1	11/11/2016	11/14/2016	70	50	Customer
381612383-0036			2:21:00 PM	6:53:00 AM			

Sample Notes:

Samples for EMSL Kit 144987

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244429	Room 61	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0037			2:23:00 PM	6:54:00 AM			

Sample Notes:

Samples for EMSL Kit 144977

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244399	Room 90	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0038			2:25:00 PM	6:55:00 AM			

Sample Notes:

Samples for EMSL Kit 144975

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244498	Room 94	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0039			2:27:00 PM	6:57:00 AM			

Sample Notes:

244830	Room 94	0.1	11/11/2016	11/14/2016	70	50	Blank
381612383-0040			2:27:00 PM	6:57:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144966**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244563	Room 105	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0041			2:29:00 PM	7:02:00 AM			

Sample Notes:

Samples for EMSL Kit 144965

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244492	Room 104	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0042			2:30:00 PM	7:04:00 AM			

Sample Notes:

244607	Room 104	0.1	11/11/2016	11/14/2016	70	50	Blank
381612383-0043			2:30:00 PM	7:04:00 AM			

Sample Notes:

Samples for EMSL Kit 144967

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244374	Room 101		11/11/2016	11/14/2016	70	50	Customer
381612383-0044			2:32:00 PM	7:07:00 AM			

Sample Notes: Not Analyzed
 sample received open; unable to analyze

Samples for EMSL Kit 144963

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244428	Room 102	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0045			2:34:00 PM	7:10:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144976**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244376	Room 107	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0046			2:36:00 PM	7:12:00 AM			

Sample Notes:

Samples for EMSL Kit 144978

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244448	Room 108	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0047			2:37:00 PM	7:13:00 AM			

Sample Notes:

244594	Room 108	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0048			2:37:00 PM	7:13:00 AM			

Sample Notes:

Duplicate RPD = 155.6%

Samples for EMSL Kit 144962

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244457	Room 111	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0049			2:39:00 PM	7:15:00 AM			

Sample Notes:

244377	Room 111	0	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0050			2:39:00 PM	7:15:00 AM			

Sample Notes:

Duplicate RPD = 200%

Samples for EMSL Kit 144968

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244434	Room 110	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0051			2:41:00 PM	7:17:00 AM			

Sample Notes:

244566	Room 110	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0052			2:41:00 PM	7:17:00 AM			

Sample Notes:

Duplicate RPD = 150%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 145045**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244346	Room 115	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0053			2:43:00 PM	7:19:00 AM			

Sample Notes:

244647	Room 115	0	11/11/2016	11/14/2016	70	50	Blank
381612383-0054			2:43:00 PM	7:19:00 AM			

Sample Notes:**Samples for EMSL Kit 144988**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244513	Room 112	0.6	11/11/2016	11/14/2016	70	50	Customer
381612383-0055			2:44:00 PM	7:21:00 AM			

Sample Notes:

244500	Room 112	0	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0056			2:44:00 PM	7:21:00 AM			

Sample Notes:**Duplicate RPD = 200%****Samples for EMSL Kit 144964**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244465	Room 119	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0057			2:46:00 PM	7:24:00 AM			

Sample Notes:**Samples for EMSL Kit 144979**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244433	Nurses Room	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0058			2:49:00 PM	7:25:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144993**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244510	158	1.1	11/11/2016	11/14/2016	70	50	Customer
381612383-0059			1:40:00 PM	6:55:00 AM			

Sample Notes:

Samples for EMSL Kit 145012

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244348	156	1.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0060			1:42:00 PM	6:57:00 AM			

Sample Notes:

244602	156	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0061			1:42:00 PM	6:57:00 AM			

Sample Notes:

Duplicate RPD = 173.3%

Samples for EMSL Kit 144983

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244419	103	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0062			1:44:00 PM	6:59:00 AM			

Sample Notes:

Samples for EMSL Kit 144984

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244467	150	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0063			1:45:00 PM	7:01:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144985**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244436	110	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0064			1:46:00 PM	7:02:00 AM			

Sample Notes:

244716	110	0	11/11/2016	11/14/2016	70	50	Blank
381612383-0065			1:46:00 PM	7:02:00 AM			

Sample Notes:**Samples for EMSL Kit 144971**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244455	A113	0.9	11/11/2016	11/14/2016	70	50	Customer
381612383-0066			1:47:00 PM	7:04:00 AM			

Sample Notes:**Samples for EMSL Kit 145006**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244338	148	0.8	11/11/2016	11/14/2016	70	50	Customer
381612383-0067			1:49:00 PM	7:06:00 AM			

Sample Notes:**Samples for EMSL Kit 145078**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244350	147	0.7	11/11/2016	11/14/2016	70	50	Customer
381612383-0068			1:50:00 PM	7:10:00 AM			

Sample Notes:

244443	147	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0069			1:50:00 PM	7:10:00 AM			

Sample Notes:

Duplicate RPD = 150%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 145001**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244491	A117	0.9	11/11/2016	11/14/2016	70	50	Customer
381612383-0070			1:52:00 PM	7:13:00 AM			

Sample Notes:

Samples for EMSL Kit 145056

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244517	A145	0.5	11/11/2016	11/14/2016	70	50	Customer
381612383-0071			1:53:00 PM	7:15:00 AM			

Sample Notes:

Samples for EMSL Kit 144981

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244447	Main Office New Side	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0072			1:54:00 PM	7:18:00 AM			

Sample Notes:

Samples for EMSL Kit 144974

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244381	124	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0073			1:55:00 PM	7:20:00 AM			

Sample Notes:

Samples for EMSL Kit 144874

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244787	129	0.2	11/11/2016	11/14/2016	70	50	Customer
381612383-0074			1:58:00 PM	7:21:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381612383
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13306 Old Marlboro Pike
Uppr Marlboro, MD 20772

Phone: (301) 952-6760
 Fax: (301) 952-0346
 Received: 11/16/16 12:12 PM
 Analysis Date: 11/18/2016
 Collected: 11/11/2016

Project: **Duvall High School**

Test Site: **Duvall High School**
9880 Good Luck Rd
Lanham, MD 20706

Test Report: Radon in Air Test Results**Samples for EMSL Kit 144892**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
244252	A131	0.4	11/11/2016	11/14/2016	70	50	Customer
381612383-0075			2:00:00 PM	7:23:00 AM			
242152	A131	0.1	11/11/2016	11/14/2016	70	50	Duplicate
381612383-0076			2:00:00 PM	7:23:00 AM			

Sample Notes:**Sample Notes:****Duplicate RPD = 120%**

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.
 All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Laura Freeman (75)

Laura Freeman, Radon Laboratory Manager &
 Peixue Ma, Ph.D, NJ Radon Measurement Specialist NJ MES
 13502

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005, IL RNL2008202..

Initial report from 11/23/2016 09:31:10

Please visit www.radontestinglab.com